



EHR SUPPORT & WORKFLOW ENHANCEMENT SOLUTIONS

FALL 2014/SPRING 2015 EQUIPMENT COLLECTION

A Roo™ FOR YOU

At Carstens, our healthcare solutions are designed to match your point of view.

Traditional patient record keeping systems to revolutionary EHR support...wall-mounted to mobile...whatever your facility's specific needs, we custom-tailor solutions to be a *perfect* fit.



WALKARoo™



WALLARoo™



CHARTING SOLUTIONS



DISCOVER OUR VARIETY OF VERSATILE PRODUCTS
CALL TODAY 800.782.1524 OR VISIT Carstens.com/RooForYou

Carstens Fall 2014/Spring 2015 Equipment Collection



Carstens has been providing revolutionary solutions that positively impact clinical environments for more than 125 years. Today, we continue to lead the way with versatile new products designed to inspire stronger human connections and greater satisfaction—all made right here in the USA.

Among the advancements in EHR and workflow management solutions this year, we have expanded our selection of mobile technology carts (see page 24) and secure medication distribution options. We have also enhanced our popular WALLAroo® wall-mounted workstations to be more functionally flexible and provide better infection control (learn more starting on page 6).

All our products can be custom-tailored to fit your individual needs to optimize efficiencies, increase productivity and encourage greater interaction at the point of care—ultimately enhancing patients’ experiences.

As always, superior service and customer satisfaction is our top priority. To make working with us even easier, we have developed more ways to support you your way. View products and order online at Carstens.com. Call 1.800.782.1524 to speak with a knowledgeable specialist. Work directly with a dedicated sales rep in your area. Or, find a local distributor who carries our products. Start your search at Carstens.com.

Thank you for your interest in our cutting-edge healthcare support equipment. To explore traditional records support products, please see our Fall 2014/Spring 2015 Patient Records & Charting Supplies catalog.

Table of Contents

WALLAroo® Wall-Mounted Workstations

Reach 360™ Articulating Arms	5
WALLAdesk™	10
WALLAroo® Cabinets	
MediRoo™	11
Half-A-Roo™	12
WALLAroo®	13
WALLAroo® XW	14
WALLAroo® XD	15
WALLAroo® XT	16
WALLAroo® XXT	17
WALLAroo® XXTD	18
Notebook WALLAroo™	19
ECONOroo™ Cabinets	20
White Boards & Room Accessories	21
WALLAroo® System Accessories	22
PrivacyLine™ Caddies	23

WALKAroo™ Mobile Workstations

WALKAroo LinkT™	26
WALKAroo™ Rounding Carts	
6430	28
6930	29
6402	29
WALKAroo™ Point-of-Care Carts	
6940 Laptop Cart	30
6950 PC Cart	31
7920 Slimline Cart	32
6408 PC Cart	33
WALKAroo™ Accessories & Components	34

Ordering and Policies

Ordering Policies	37
Warranties	39
Terms and Conditions	40
New Account Application	41
Fax Order Form	43
Catalog Number Index	44

How ROOs Incorporate Into Your Daily Workflow

PHARMACY



Conveniently pick up medications for all your patients at one time and safely stow them for transport. Fewer trips to the pharmacy save time and energy and help reduce errors.



POINT OF CARE

Enhance communication and increase face time by keeping all necessary equipment and medications right in the room. Less time away from your patients means greater satisfaction and better experiences.



*New Point-of-Care Laptop Cart
Cat No. 6940-WW*



*The compact design of the Half-A-Roo™ is ideal for smaller spaces. Shown with optional adjustable shelves for increased flexibility.
Cat No. 6652-00*



*MediRoo™ features more storage capacity with a sturdy, flat work surface for sorting and pouring. Shown with optional tilting shelves.
Cat No. 6800-00*



*Removable med trays and adjustable shelving kits make organization effortless. Ideal for patient rooms or hallways, the WALLAroo® XXXT offers maximum storage space on a 4" depth.
Cat No. 6677-00*

EHR

With multiple ways to incorporate computers into our WALLAroo® and WALKAroo™ workstations, keeping medical records and entering patient information electronically is simple and secure.



WALLAroo® XXTD is our largest workstation for ultimate versatility. Optional articulating arm allows staff to keep patient contact while entering data.

Cat No. 6605-00



Extra deep WALLAroo® XD can store thin client PC systems with larger monitors or be configured to house all-in-one computers, bar code scanners or other equipment. Shown with Electronic Keyless Lock.

Cat No. 6682-EL

DIAGNOSTICS

Seamlessly integrate technology that moves with you anywhere you need to go with our advanced Point-of-Care carts—optimizing efficiencies and allowing stronger connections to be made between you and your patient.



WALKAroo™ shown with notebook mount and concentric utility basket for enhanced workflow productivity throughout any setting.

Cat No. 6430-CH

WALLARoo® Matches Your Facility's Electronic Needs

No matter which type of computer system your staff uses—tablets, laptops or thin client PCs and monitors—Carstens has a WALLARoo® designed to fit. We offer a variety of secure options to make technology accessible when and where it's needed. Use multiple computer types throughout your facility? We can help configure your environment with just the right combination of WALLARoos for your workflow.

Compare your devices below to match size and space requirements.



Tablet



My tablet size
 ___ W x ___ H x ___ D
 #6650 pg. 12



Tablet module available.
 See page 9 for details.

13"W x 17⁷/₈"H x 3¹/₈"D
 (Inside dimensions)



Laptop



My laptop size
 ___ W x ___ H x ___ D
 #6800-NB pg. 19



Laptop module available.
 See page 9 for details.


18¹/₂"W x 17⁷/₈"H x 5¹/₈"D
 (Inside dimensions)



Workstation



My CPU size
 ___ W x ___ H x ___ D
 My monitor size
 ___ W x ___ H x ___ D
 #6680 pg. 15



29³/₈"W x 17⁷/₈"H x 3¹/₈"D
 (Inside dimensions)

Need more work space or room for storage? Consider upgrading to the next model! Tablets and laptops can easily integrate into larger WALLARoos, offering additional flexibility for use.

Reach 360°

Maximize use of your space and make viewing or entering important data easy from multiple angles, with Carstens' computer mounted systems. Available to accommodate full-size monitors and keyboards, notebook computers or tablets, our Data Entry Arm and Mount Solutions allow your staff to get closer to their patients, maintain eye contact and stay engaged while using technology. Fixed or flexible, these sturdy and secure equipment options will enhance productivity, comfort and satisfaction in virtually any room or setting.



Keep your keyboard, monitor and mouse securely in place while still allowing freedom to adjust height and viewing direction from person to person.

Cat No. 6755-00



Expand your reach and range with the dual mount arm for both a keyboard and a monitor. Ideal for accommodating larger monitors and offering variable adjustability of units for comfort.

Cat No. 6750-BK



Height-adjustable table mount holds almost any size laptop or tablet. Swivels and pivots for optimal viewing angle, and easily mounts through most work surfaces.

Cat No. 6767-BK



The flexible and adjustable Reach 360° easily mounts a tablet or notebook computer onto a wall or desk space, allowing both vertical and horizontal movement to nearly any ergonomic position.

Cat No. 6765-BK

Height-adjustable monitor holder swivels and pivots to allow multiple viewing angles of your screen. Securely mounts through most work surfaces. Shown in silver.

Cat No. 6769-BK



Customize A WALLAroo® Exclusively For You


From color, style and fashionable finishes to options, accessories and functionality, Carstens' WALLAroo® workstations offer ultimate flexibility to meet all your needs.

Cabinet Size and Style:


Other styles & sizes available.




Half-a-Roo™
4"D x 24½"H x 16½"W




WALLAroo®
4"D x 24½"H x 28¾"W




WALLAroo® XW
4"D x 24½"H x 32¾"W




WALLAroo® XD
6"D x 24½"H x 32¾"W




WALLAroo® XT
4"D x 34½"H x 28¾"W



WALLAroo® XXT
4"D x 41¼"H x 28¾"W



WALLAroo® XXTD
8"D x 41¼"H x 28¾"W



MediRoo™
6"D x 25½"H x 20½"W
Notebook WALLAroo™
4"D x 25½"H x 20½"W
6"D x 25½"H x 20½"W

Trim Strip Color:



Security Access:



Keyed Lock

Each unit comes standard with a keyed entry lock and two keys.



Electronic Keyless Lock

Lock has push button numbers on soft membrane keypad that stores up to five user codes. L.E.D. indicator lights signal when workstation is locked or open. Upgrade for an additional charge.



Access Control

Upgrade for an additional charge.

End Cap Color:



GRAY



ALMOND



LIGHT OAK



MEDIUM OAK




LIGHT CHERRY




CHERRY

Cabinet Color:



GRAY



ALMOND




Don't see what you are looking for? Just ask! Call a knowledgeable customer service associate at (800) 782-1524.

Cabinet Style Options:

Exclusive Finishing Increases Infection Control

Our advanced, proprietary process seamlessly fuses a design or image into the powder coated steel door, with no laminate edges to trap bacteria. The result is a smooth, durable finish that is naturally more sanitary and brings an exciting new look to your entire facility.

Designer Series: Fashionable Designer Door Finishes



ZEBRA



BUBBLES



LEOPARD



CUSTOM



CHERRY OAK



CLASSIC MAPLE

New finishes available on certain WALLARoo® models only, with a minimum order of five. Lead time is 4 to 8 weeks depending on design. Custom pricing per quote. Call to find out what patterns we have in stock.



Medication Distribution System

Secure medication storage and access is an important issue for healthcare organizations today. Carstens' WALLARoo® and MediRoo™ collections provide safe and versatile solutions to keep medical essentials conveniently in reach where clinicians need them most—at the point of care. The stylish, space-saving design of our med systems offer flexibility to complement any décor and fit into small areas as needed. Standard fold-down door doubles as a solid work area for sorting, counting or pouring. Functional accessories add to your organization and security options.



Med Tray & Carriers

6690-00 Clear Lexan Med Tray (set of 6)
11"L x 2½"W x 2"H (front) 4"H (back)



Med Trays

Med Trays are constructed of durable Lexan, allowing a clear view of the contents, as well as easy access. Each tray comes with one moveable divider for PRN and daily meds.



System Carrier Medication Distribution System

6692-00 Carrier holds 15 Med Trays
17¾"W x 119/16"L x 15¾"H



Med Boxes

Interior, lockable medicine storage boxes create a double layer of safety for your most critical meds and supplies.

Med Trays

Cat No.	Description	Size
6690-00	Clear Lexan Med Tray (set of 6)	21.5"W x 2"H x 11"L
1940-00	Med Tray adhesive pocket (4 per sheet)	4" W x 1.5"H
1658-01	100 Med Tray I.D. card (white)	3.375" W x 1"H
1658-03	100 Med Tray I.D. card (yellow)	3.375" W x 1"H
1658-05	100 Med Tray I.D. card (red)	3.375" W x 1"H
6692-00	Med Tray Carrier (holds 15 trays)	17.75"W x 11.XX"L x 5.75"H

Med Boxes

Cat No.	Description	Color	Size
6688-00	Half-a-Roo Lock Med Box	Almond	12"W x 6.8"H x 3"D
6689-00	Half-a-Roo Lock Med Box	Gray	12"W x 6.8"H x 3"D
6686-00	2000 Lock Med Box	Almond	23.75"W x 6.8"H x 3"D
6687-00	2000 Lock Med Box	Gray	23.75"W x 6.8"H x 3"D

Shelving Kits

Cat No.	Description	Color	Size
6691-00	Half-a-Roo shelving kit	Almond	12.5"W x 3"D
6694-00	#6630 shelving kit	Almond	24.25"W x 3"D
6698-00	XW shelving kit	Almond	28.75"W x 3"D
6699-AL	XD shelving kit	Almond	28.75"W x 5"D
6800-SA	Mediroom adjustable shelf	Almond	16.875"W x 5"D
6800-GY	Mediroom adjustable shelf	Gray	16.875"W x 5"D

Cat No.	Description	Size
6650-00-64	I.V. bag retainer bar	14.75"W



Adjustable shelves allow you to move and store various sized items with ease.



Med Boxes can be installed inside any MediRoo™.



I.V. Bag Retainer Bar

6650-00-64
11"L x 2½"W x 2"H 14.75"W

NEW THIS YEAR!



Monitor Mount

Our new monitor mount with VESA plate adds flexibility to position a monitor inside a WALLAroo® to any desired height with ease. Attaches securely in 2 steps with freedom to re-position to different height as needed.



Magnetic White Board

The WALLAroo® white board is made of Porcelain coated steel which will not stain or ghost. Magnetically attaches to a WALLAroo® door.



Magnetic Marker Tray

Magnetic marker tray attaches to white board or other steel surface.

EHR Accessories & Components



Tablet Mount

Mount has dial combination lock and frees up workspace. For use with iPad only.



Articulating Arm

Designed to fit into 6" and 8" deep WALLAroos, arm holds monitor up to 19" and full size keyboard in tact. Monitor plate and keyboard tray move in tandem 90° left or right. Arm is factory installed.



Notebook Security Cable Kit

Includes Kensington Security Cable and Velcro® to attach notebook to work surface.



Notebook Swivel Base & Access Module

Stop cylinder eases notebook onto work surface and conveniently folds back into WALLAroo® to close. Swivels a total of 150° for convenient viewing. Optional security lock helps prevent theft.



Mouse House

Conveniently stores mouse when not in use. Adhesive backing secures to the interior surface of your WALLAroo® workstation.



Custom Mount

Allows staff to conveniently access power and disc drive.



Electrical/Network Access Cutouts

Sized and positioned to your exact specifications.



Vent Caps

Automatically releases heat and provides ventilation.

WALLADesk™

WALLADesk™ is excellent for use as a notebook or tablet work surface, in private rooms, as a space-saving side table, or as a white board message center. Sturdy 23½"W x 13"D work surface folds up for convenient storage and is available in two wood finishes with optional white board front. Custom engineered retention bar with built-in compartments is designed to store small devices and dry erase accessories. Complete mounting instructions included. So much more than a desk...the possibilities are endless.



Cat No.	Work Surface	Closed Position
6412-CW	Lt. Cherry Work Surface	White Board Front
6412-CC	Lt. Cherry Work Surface	Lt. Cherry Front
6412-MW	Maple Work Surface	White Board Front
6412-MM	Maple Work Surface	Maple Front
6412-11	Wall Protector White Board	



Articulating arm can be mounted above to add computer integration. See page 9.



Based on Carstens' popular WALLARoo® series, these secure units are specifically designed for storing medical supplies and medications so they are quickly accessible when they are needed. Flat door space offers a sturdy area for accurately pouring liquids, counting tablets or preparing meds for multiple patients. Med trays (optional) make transporting to bedside safe and easy. Includes your choice of end caps and color finishes. Available with adjustable or tilting shelves (optional) for added organizational flexibility.




Electronic Keyless Lock

Auto Close Door – Door Closes When Released

4" Deep MediRoo			6" Deep MediRoo		
Cat No.	Color		Cat No.	Color	
6840-00	Almond		6800-00	Almond	
6841-00	Gray		6801-00	Gray	
6840-WM	Almond/Maple		6800-WM	Almond/Maple	
6841-WC	Gray/Cherry		6801-WC	Gray/Cherry	

6" Deep MediRoo Interior Dimensions



Options & Accessories

Shelving Kit

4" Deep MediRoo			6" Deep MediRoo		
Cat No.	Color		Cat No.	Color	
6840-SA	Almond	Adjustable shelves	6800-SA	Almond	Adjustable shelves
6840-SG	Gray	Adjustable shelves	6800-SG	Gray	Adjustable shelves
6840-TA	Almond	Tiltable shelves	6800-TA	Almond	Tiltable shelves
6840-TG	Gray	Tiltable shelves	6800-TG	Gray	Tiltable shelves

Med Box

6688-00	12"W x 6.8"H x 3"D
6689-00	12"W x 6.8"H x 3"D


Med Trays

6690-00	Clear Lexan Med Tray (set of 6)
6692-00	System Carrier (holds 15 trays)

I.V. Bag Retainer Bar

6650-00-64	11"W x 2"H 2.5"D
------------	------------------

4" Deep MediRoo Interior Dimensions



HALF-A-Roo[™]

Half-A-Roo[™] offers additional wall storage in a contoured, sculpted design that is ideal for smaller areas or rooms with space constraints. Units have a smooth, quiet operation and a matte finish that eliminates fingerprints and glare. Each cabinet can be used to store medications, PPE, supplies, small diagnostic equipment, handheld tablets and more—for easy accessibility in even high-traffic areas. All units meet ADA requirements and are OSHPD compliant.



Auto Close Door –
Door Closes When Released

Cat No.	Color
6656-00	Almond
6657-00	Gray
6656-ELWM	Almond/Maple
6657-ELWC	Gray/Cherry

Close Assisted Door –
Door Remains Open Until Lifted


Cat No.	Color
6654-00	Almond
6655-00	Gray
6654-ELWM	Almond/Maple
6655-ELWC	Gray/Cherry



Cat No.	Color
6652-00	Almond
6653-00	Gray
6652-00WM	Almond/Maple
6653-00WC	Gray/Cherry

Cat No.	Color
6650-00	Almond
6651-00	Gray
6650-00WM	Almond/Maple
6651-00WC	Gray/Cherry

Interior Dimensions



13" x 17 1/8" work surface can hold up to 50 lbs.

Options & Accessories

Adjustable Shelving Kits

6691-00	3 steel shelves & adjustable side panels
---------	--

Retainer Bar

6650-00-64	Almond	14.75" wide
------------	--------	-------------

Tablet Mount

6416-00	Tablet Mount for iPad
---------	-----------------------



Has the same stylish design features as Half-A-Roo™ with nearly twice the storage capacity. Standard WALLARoo® units offer convenient features for housing notebook computers or tablets alongside patient record files, medical supplies, small equipment, PPE and more—streamlining productivity in any room or hallway. Available with keyed or electronic keyless lock system and various internal shelving and technology accessory options. Meets ADA requirements and is OSHPD compliant.



Electronic Keyless Lock



Keyed Lock

Auto Close Door –

Door Closes When Released

Cat No.	Color
6637-00	Almond
6638-00	Gray
6637-ELWM	Almond/Maple
6638-ELWC	Gray/Cherry

Close Assisted Door –


Door Remains Open Until Lifted

Cat No.	Color
6632-00	Almond
6633-00	Gray
6632-ELWM	Almond/Maple
6633-ELWC	Gray/Cherry

Cat No.	Color
6635-00	Almond
6636-00	Gray
6635-00WM	Almond/Maple
6636-00WC	Gray/Cherry

Cat No.	Color
6630-00	Almond
6631-00	Gray
6630-00WM	Almond/Maple
6631-00WC	Gray/Cherry

Interior Dimensions



24 5/8" x 17 7/8" work surface can hold up to 50 lbs.

Options & Accessories

Adjustable Shelving Kit

6694-00 3 steel shelves & adjustable side panels

Retainer Bar

6630-00-64	Almond	26 1/2" wide
6650-00-64	Almond	14 3/4" wide

White Board

6630-WB Magnetic White Board

WALLARoo[™] XW

Featuring all the benefits of the standard WALLARoo[®] with even more space, the XW is great for wider monitors or notebook computers. 4½" wider overall than the original model, you can easily store essential medical supplies, files or equipment next to your data entry technology without compromising space. Quiet, smooth operating doors are sleek and stylish and can accommodate new magnetic white board (optional). Keyed or electronic keyless lock adds security; organizational options add flexibility. Meets ADA requirements and is OSHPD compliant.



Electronic Keyless Lock

Auto Close Door -

Door Closes When Released

Cat No.	Color
6612-00	Almond
6613-00	Gray
6612-ELWM	Almond/Maple
6613-ELWC	Gray/Cherry

Close Assisted Door -

Door Remains Open Until Lifted

Cat No.	Color
6617-00	Almond
6618-00	Gray
6617-ELWM	Almond/Maple
6618-ELWC	Gray/Cherry




Keyed Lock

Cat No.	Color
6610-00	Almond
6611-00	Gray
6610-00WM	Almond/Maple
6611-00WC	Gray/Cherry

Cat No.	Color
6615-00	Almond
6616-00	Gray
6615-00WM	Almond/Maple
6616-00WC	Gray/Cherry

Interior Dimensions



29 3/8" x 17 1/8" work surface can hold up to 50 lbs.

Options & Accessories

Adjustable Shelving Kit

6698-00 3 steel shelves

Retainer Bar

6610-00-64	Almond	31" wide
6650-00-64	Almond	14 3/4" wide

White Board

6630-WB Magnetic White Board

WALLARoo® XD

Conveniently store notebook PCs, equipment, medications and supplies in the stylish, versatile XD workstation. Offers a smooth, quiet operation and a matte finish that eliminates fingerprints and glare. Just as wide as our WALLARoo® XW but 2" deeper to fit larger monitors and necessities. Great for PPE and in-room patient essentials, as well as for electronic health records integration with optional Articulating Arm. Available with keyed or electronic keyless lock and can accommodate new magnetic white board on front (optional). Meets ADA requirements and is OSHPD compliant.



Electronic Keyless Lock



Keyed Lock

Auto Close Door -

Door Closes When Released

Cat No.	Color
6680-EL	Almond
6681-EL	Gray
6680-ELWM	Almond/Maple
6681-ELWC	Gray/Cherry

Close Assisted Door -

Door Remains Open Until Lifted

Cat No.	Color
6682-EL	Almond
6683-EL	Gray
6682-ELWM	Almond/Maple
6683-ELWC	Gray/Cherry

Cat No.	Color
6680-00	Almond
6681-00	Gray
6680-00WM	Almond/Maple
6681-00WC	Gray/Cherry

Cat No.	Color
6682-00	Almond
6683-00	Gray
6682-00WM	Almond/Maple
6683-00WC	Gray/Cherry

Options & Accessories

Adjustable Shelving Kit

6699-AL	Almond	3 steel shelves
---------	--------	-----------------

Articulating Arm

6701-00	Black
---------	-------


Retainer Bar

6610-00-64	Almond	31" wide
6650-00-64	Almond	14¾" wide

White Board

6630-WB	Magnetic White Board
---------	----------------------

Interior Dimensions



29 3/8" x 17 7/8" work surface can hold up to 50 lbs.



Articulating Arm

Monitor and keyboard tray move in tandem 90° left or right. Tilting monitor plate can accommodate units up to 19 inches. Arm is factory installed.

WALLARoo® XT

The extra tall WALLARoo® XT is ideal for storing full-size computers with added security. Features dual locking compartments to keep information and equipment safe, and allow access of data in thin client to only authorized staff or IT personnel. Or, use the separate upper compartment to securely store critical supplies or medications to be on hand in rooms as needed. Optional accessories add to this unit's versatility, and the keyed or electronic keyless doors offer smooth, quiet movement. Meets ADA requirements and is OSHPD compliant.



4" D
28 3/8" W
34 5/8" H
Fits new magnetic white board on lower door. See page 9.



Auto Close Door –

Door Closes When Released

Cat No.	Color
6622-00	Almond
6623-00	Gray
6622-ELWM	Almond/Maple
6623-ELWC	Gray/Cherry

Close Assisted Door –

Door Remains Open Until Lifted


Cat No.	Color
6627-00	Almond
6628-00	Gray
6627-ELWM	Almond/Maple
6628-ELWC	Gray/Cherry



Cat No.	Color
6620-00	Almond
6621-00	Gray
6620-00WM	Almond/Maple
6621-00WC	Gray/Cherry

Cat No.	Color
6625-00	Almond
6626-00	Gray
6625-00WM	Almond/Maple
6626-00WC	Gray/Cherry

Interior Dimensions
3 1/8" D
Upper Cabinet



Options & Accessories

6620-00-15	Door Stay for Upper Compartment – work hands free
6620-00-17	Slam Lock for Upper Compartment – automatically locks when door closes

Retainer Bar

6630-00-64	Almond	26 1/2" wide
6650-00-64	Almond	14 3/4" wide

24 7/8" x 17 7/8" work surface can hold up to 50 lbs.

WALLARoo[®] XXT

The WALLARoo[®] XXT is ideal for securing a complete point-of-care medication station for two patients or storing critical supplies in larger rooms or settings. Along with offering all the same benefits and features as the XT model, the XXT also offers 40% more space in the upper compartment and numerous options for ultimate use flexibility. This popular unit can also be set up for effortless computer integration or to store patient care items as well. Dual keyed or keyless locks; anti-glare, smudge-proof finishes; meets ADA requirements and is OSHPD compliant.



Electronic Keyless Lock



Keyed Lock

Auto Close Door -

Door Closes When Released

Cat No.	Color
6672-00	Almond
6673-00	Gray
6672-ELWM	Almond/Maple
6673-ELWC	Gray/Cherry

Close Assisted Door -

Door Remains Open Until Lifted

Cat No.	Color
6677-00	Almond
6678-00	Gray
6677-ELWM	Almond/Maple
6678-ELWC	Gray/Cherry

Cat No.	Color
6670-00	Almond
6671-00	Gray
6670-00WM	Almond/Maple
6671-00WC	Gray/Cherry


Cat No.	Color
6675-00	Almond
6676-00	Gray
6675-00WM	Almond/Maple
6676-00WC	Gray/Cherry

Keylock upper, electronic keyless lock lower, available upon request.

Retainer Bar

6630-00-64	Almond	26 1/2" wide
6650-00-64	Almond	14 3/4" wide

Interior Dimensions



24 7/8" x 17 1/8" work surface can hold up to 50 lbs.

WALLARoo[™] XXTD

The 8" deep XXTD design offers flexibility to utilize articulating arms for secure point-of-care electronic record keeping. 180° swivel design of the arm helps your staff maintain contact with patients while entering information. Both extra large compartments lock separately with either keyed or electronic keyless locks. Stylish, anti-glare, smudge-proof door finishes can accommodate new magnetic white boards (optional). OSHPD compliant.



Electronic Keyless Lock



Keyed Lock



**Keyed Lock Upper Cabinet
Electronic Keyless Lock Lower Cabinet**

Auto Close Door -

Door Closes When Released

Cat No.	Color
6602-00	Almond
6603-00	Gray
6602-ELWM	Almond/Maple
6603-ELWC	Gray/Cherry

Close Assisted Door -

Door Remains Open Until Lifted

Cat No.	Color
6607-00	Almond
6608-00	Gray
6607-ELWM	Almond/Maple
6608-ELWC	Gray/Cherry

Cat No.	Color
6600-00	Almond
6601-00	Gray
6600-00WM	Almond/Maple
6601-00WC	Gray/Cherry

Cat No.	Color
6605-00	Almond
6606-00	Gray
6605-00WM	Almond/Maple
6606-00WC	Gray/Cherry

Cat No.	Color
6602-E1	Almond
6603-E1	Gray
6602-E1WM	Almond/Maple
6603-E1WC	Gray/Cherry

Cat No.	Color
6607-E1	Almond
6608-E1	Gray
6607-E1WM	Almond/Maple
6608-E1WC	Gray/Cherry


Options & Accessories

Articulating Arm (shown above)

6700-00	Black
---------	-------

Monitor and keyboard tray move in tandem 90° left or right. Tilting monitor plate can accommodate units up to 19 inches. Arm is factory installed.

Interior Dimensions



24 7/8" x 17 1/8" work surface can hold up to 50 lbs.

Notebook WALLARoo[™]

The Notebook WALLARoo[™] solves the need for a more compact and secure laptop technology option. All units come with Electronic Keyless Lock for optimum security. Also included is a Notebook Access Module (NAM) that eases the computer onto the work surface without generating noise, as well as a Notebook Swivel Base that attaches to the NAM to give the user 150° rotation of the computer for added visibility. Comes with your choice of wood end panels to match your décor.




Electronic Keyless Lock

Auto Close Door – Door Closes When Released

Cat No.	Color
6800-NB	Almond
6801-NB	Gray

Interior Dimensions



18½" x 17½" work surface can hold up to 50 lbs.

ECONORoo™ Wall Cabinets



Original WALLAroo®

Gives the user a large 25"W x 18"D pull-down work surface. Optional shelving kit makes it perfect for securing small equipment or medications.



Keyed Lock

Auto Close Door -

Door Closes When Released

Cat No.	Color	Handle
4635-00	Almond	Extruded handle
4636-00	Gray	Extruded handle
4638-00	Almond	Recessed handle
4639-00	Gray	Recessed handle


Close Assisted Door -

Door Remains Open Until Lifted

Cat No.	Color	Handle
4630-00	Almond	Extruded handle
4631-00	Gray	Extruded handle
4641-00	Almond	Recessed handle
4642-00	Gray	Recessed handle

Options & Accessories

4684-00	Ivory	Single 10" WALLAroo Shelf	4691-00	3 steel shelves
4685-00	Ivory	Single 23 1/2" WALLAroo Shelf	4691-00-03	Additional shelf for 4691-00 kit
4686-00	Ivory	Double WALLAroo Shelf	4630-00-57	Almond binder/forms insert



Original Half-A-Roo®

Half the size of our original WALLAroo®, perfect for securely storing small equipment or medications when space is critical.



Keyed Lock

Auto Close Door -

Door Closes When Released

Cat No.	Color	Handle
4652-00	Almond	Recessed handle
4653-00	Gray	Recessed handle

Close Assisted Door -

Door Remains Open Until Lifted

Cat No.	Color	Handle
4650-00	Almond	Recessed handle
4651-00	Gray	Recessed handle

Options & Accessories

4684-00	Ivory	Single 10" WALLAroo Shelf	4692-00	3 steel shelves
4685-00	Ivory	Single 23 1/2" WALLAroo Shelf	4692-00-03	Additional shelf for 4692-00 kit
4686-00	Ivory	Double WALLAroo Shelf	4650-00-57	Almond binder/forms insert



ECONORoo™

Carstens original ECONORoo™ is a lightweight version of the WALLAroo®. Perfect for low level security applications.



Keyed Lock

Auto Close Door -

Door Closes When Released

Cat No.	Color	Handle
6642-00	Almond	Extruded handle
6643-00	Gray	Extruded handle



WALLAroo Jr.™

WALLAroo Jr.™ is a non-secure storage cabinet, allowing quick and easy access with a 22"W x 15"D pull-down work surface.

Manual Door Closure

Cat No.	Color	Handle
4632-00	Almond	Extruded handle
4633-00	Gray	Extruded handle

Options & Accessories

4632-00-10	Chrome Trim Strip
------------	-------------------

Premium Magnetic and Non-Magnetic White Boards

Worried about white boards that can't stand up to the task? Our Premium White Boards use state-of-the-art dry erase technology that has higher performance and stain resistance than boards of the past. Markings can remain on the board for years and still be erased. Even permanent marker can be removed with standard solvents without harm to the board.

Our aluminum frame has a built-in marker tray and back has keyhole hangers for mounting.

Custom printed surfaces are available on all White Boards. Call Customer Service for a quote 1.800.782.1524



Cat. No.	Description	Size
6424-18-CP	Custom Printed	24"W x 18"H
6424-36-CP	Custom Printed	36"W x 24"H
6424-46-CP	Custom Printed	46"W x 34"H
6424-72-CP	Custom Printed	72"W x 48"H
6424-96-CP	Custom Printed	96"W x 48"H

Hardware not included.

Cat. No.	Description	Size
6424-18	Magnetic	24"W x 18"H
6424-36	Magnetic	36"W x 24"H
6424-46	Magnetic	46"W x 34"H
6424-72	Magnetic	72"W x 48"H
6424-96	Magnetic	96"W x 48"H

Hardware not included.

Cat. No.	Description	Size
6425-18	Non-Magnetic	24"W x 18"H
6425-36	Non-Magnetic	36"W x 24"H
6425-46	Non-Magnetic	46"W x 34"H
6425-72	Non-Magnetic	72"W x 48"H
6425-96	Non-Magnetic	96"W x 48"H

Hardware not included.

White Board Accessories



Dry Erase Markers
Images go on wet and dry instantly. Each box contains four different colored markers—black, blue, green and red.
Cat. No. 6422-01




White Board Dry Eraser
Use for quickly removing content from board.
Cat. No. 6422-02



White Board Cleaner
Recommended for cleaning your Premium White Board. Do not use chalk or abrasive cleaners on writing surface.
Cat. No. 6422-03

Cat. No.	Description	Unit
6422-01	Dry Erase Markers (1 each: black, blue, green, red)	1 box
6422-02	Dry Eraser for White Boards	each
6422-03	White Board Cleaner	8 oz. bottle

Exam Room Flags



Exam Room Flags help keep staff efficient. Brightly colored flags extend 8¼" from wall and can be seen from a distance. Room Flags easily mount to any wall. Choose three-, four- or six-flag units to suit your needs.

Cat. No.	Desc.	Colors
1652-03	3 Flags	Red, Blue, Green
1652-04	4 Flags	Red, Blue, Green, Yellow
1652-06	6 Flags	Red, Blue, Green, Yellow, Black, White

WALLARoo® System Accessories

All of our WALLARoo® workstations are customizable and many of our accessories and modifications are unit specific. This is just a partial list of the opportunities to create a unit to best meet the needs of your facility.

Accessories	Part Number	MediRoo™	Half-a-Roo®	WALLARoo®	WALLARoo® XW	WALLARoo® XD	WALLARoo® XT	WALLARoo® XXXT	Notebook WALLARoo™
6" Articulating Arm	6701-00					•		•	
8" Articulating Arm	6700-00							•	
Mouse House	6407-02	•	•	•	•	•	•	•	
Bar Code Scanner Holster (back)	6407-05	•	•	•	•	•	•	•	•
Computer Accessory Mounting Kit	6456-00	•	•	•	•	•	•	•	
Vent/Cooling Fan Kit	6454-00-11	•	•	•	•	•	•	•	
Thermostat	6600-00-23	•	•	•	•	•	•	•	
Med Box (almond / gray)	6688-00 / 6689-00	•	•						
Med Box (almond / gray)	6686-00 / 6687-00			•	•	•	•	•	
Adjustable Shelving Kit	6691-00	•	•						
Adjustable Shelving Kit (2000 / XW / XXXT)	6694-00 / 6698-00 / 6694-00			•	•		•		
Adjustable Shelving Kit (almond / gray)	6699-AL / 6699-GY					•			
Adjustable Shelf (almond / gray)	6800-SA / 6800-SG		•						•
Tilttable Shelf (almond / gray)	6800-TA / 6800-TG		•						•
Retainer Bar (almond / gray)	6650-00-64 / 6651-00-64	•	•						
Retainer Bar (almond / gray)	6630-00-64 / 6631-00-65			•		•	•	•	
Retainer Bar (almond / gray)	6610-00-64 / 6611-00-64				•	•			
Recessed Door (almond / gray)	6630-KB-68 / 6631-KB-68			•		•	•	•	
Recessed Door (almond / gray)	6610-KB-68 / 6611-KB-68				•	•			
Magnetic White Board	6630-WB			•		•	•	•	
Magnetic Marker Tray	6630-TRAY			•		•	•	•	
Plates & Brackets									
Notebook Swivel Base	6404-SW	•	•	•	•	•	•	•	•
Notebook Access Module: Sliding	6404-00	•	•	•	•	•	•	•	•
Notebook Access Module: Non-Sliding	6404-NS	•	•	•	•	•	•	•	•
Notebook Security Cable Kit	6402-SC	•	•	•	•	•	•	•	
Notebook Security Kit: Sliding	6406-00	•	•	•	•	•	•	•	•
Notebook Security Kit: Non-Sliding	6406-NS	•	•	•	•	•	•	•	•
Monitor Mount	6452-00	•	•	•	•	•	•		
Tablet Mount for iPad®	6416-00	•	•	•	•	•	•	•	•
Standoff	4695-SO	•	•	•	•	•	•		
Standoff & Bracket Mount	4695-SB	•	•	•	•	•	•		
Cover Plate	4695-CP	•	•	•	•	•	•		
Holes - Ventilation & Cord Control									
Set Vent Holes	9999-99-60	•	•	•	•	•	•	•	
Square/Rectangular (back)	9999-99-66	•	•	•	•	•	•	•	
Round 2½" (back)	9999-99-67	•	•	•	•	•	•	•	
Round 2" with grommet (side)	9999-99-63	•	•	•	•	•	•	•	
Top or Bottom Cap Hole	9999-99-62	•	•	•	•	•	•	•	

PrivacyLine™

Carstens' PrivacyLine™ caddies offer secure mobile storage solutions for equipment, files and more. These versatile units allow your staff to conveniently move and access necessities without compromising privacy. Made in the USA with two or three shelves and independent locking doors.



- Smooth sliding locking doors for added security
- Durable steel construction with anti-glare coating
- Quiet premium casters with double safety locks
- Optional Electronic Keyless Locks
- Stylish finishes complement any décor



Electronic Keyless Lock



Keyed Lock

34" Wide Units

Cat No.	Color	Shelves
4722-EL	Almond	2
4822-EL	Gray	2
4732-EL	Almond	3
4832-EL	Gray	3
4722-ELWM	Almond/Maple	2
4822-ELWC	Gray/Cherry	2
4732-ELWM	Almond/Maple	3
4832-ELWC	Gray/Cherry	3

48½" Wide Units

Cat No.	Color	Shelves
4724-EL	Almond	2
4824-EL	Gray	2
4734-EL	Almond	3
4834-EL	Gray	3
4724-ELWM	Almond/Maple	2
4824-ELWC	Gray/Cherry	2
4734-ELWM	Almond/Maple	3
4834-ELWC	Gray/Cherry	3

Cat No.	Color	Shelves
4722-00	Almond	2
4822-00	Gray	2
4732-00	Almond	3
4832-00	Gray	3
4722-00WM	Almond/Maple	2
4822-00WC	Gray/Cherry	2
4732-00WM	Almond/Maple	3
4832-00WC	Gray/Cherry	3

Cat No.	Color	Shelves
4724-00	Almond	2
4824-00	Gray	2
4734-00	Almond	3
4834-00	Gray	3
4724-00WM	Almond/Maple	2
4824-00WC	Gray/Cherry	2
4734-00WM	Almond/Maple	3
4834-00WC	Gray/Cherry	3

Electronic Keyless Locks only pertain to the top two compartments on three compartment units. Bottom compartment has keyed lock.

Keep Productivity Moving, With...

WALKARoo™

Carstens' mobile work solutions can help transform clinical environments, enhance patient experiences and positively impact results. From basic mobile carts for making rounds, to custom configured workstations for your entire facility, we have a WALKARoo™ that is just right for you. Adaptable to your changing needs, each is designed to accommodate your current and future equipment...and built with the lasting quality Carstens is known for.

Our versatile WALKARoo™ collection features many options to seamlessly integrate technology on the move—whether your facility uses tablets, laptops or thin client PCs. For moving supplies, distributing meds, administering tests, entering patient records or encouraging interaction...we can help configure your carts with just the right equipment to match your needs. Check out the latest advancements in mobile workflow efficiency and see why Carstens' WALKARoos are in a class all their own.



Designed for efficient electronic patient record keeping and diagnostics, the all-new WALKARoo™ 6950 PC Cart features a monitor mount and sliding keyboard tray, as well as a secure, locking compartment for small equipment or thin client storage.

Cat No. 6950-WW



Ergonomic WALKARoo™ 6940 helps simplify your workflow, with an optional flex arm mount for diagnostic equipment. Premium unit can accommodate multiple technology options and supplies for convenient on-the-go productivity.

Cat No. 6430-CH

WALKARoo

LinkT™

Inspiring Interaction



Sitting

"One cutting-edge design—endless possibilities."

The WALKARoo LinkT™ offers fluid motion to keep clinicians interacting with their patients. It easily adapts to any work environment, with flexibility to accommodate changing needs.

The seat and ergonomic work space are attached, so you can effortlessly take critical supplies with you throughout your day and access electronic equipment from multiple positions.



Moving

Enhance Face-to-Face Communication With Your Patients

The revolutionary design of the WALKARoo LinkT™ naturally encourages interaction and creates stronger connections between you and your patients. With a small, adjustable footprint and a seat that swings around almost a full 360°, you can easily transition between room configurations and work requirements. Sitting, standing or kneeling, the LinkT™ provides optimum comfort and fluid motion in any situation. Most importantly, you can maintain better eye contact with your patients, stay engaged in conversation, and remain focused on what matters most—improving the patient experience.

Along with the key features highlighted here, the LinkT™ offers many custom options to tailor your workstation to your facility's needs and match your staff's workflow—ultimately enhancing efficiency and productivity in your setting. There truly is nothing else like it. To learn more about the LinkT™ or schedule a product demonstration, contact your local sales representative today.




WALKARoo™ LinkT™

Table top height	30"– 42"
Seat height	19"– 23"
Open position	Base 41"D x 20"W
Closed position	Base 26"D x 20"W
Cart wheel diameter	4"
Seat wheel diameter	3"
Weight capacities	Top – 15lbs Seat – 250lbs






Base Colors



Cat. No.	Description
6920-00	LinkT

Seat Colors



Work Surface Colors



Bean Work Surface Finishes



Ergo Work Surface Finishes



WALKARoo™ 6430

Carstens' WALKARoo™ 6430 takes rounding productivity to the highest level, with numerous built-in features to optimize your workflow. Multi-use cart features a sturdy, Ergo work surface that is seamless for added infection control, along with a smooth foot-activated pneumatic lift for fluid height adjustability. Includes Cord Access Portal, A/C Adapter Bracket and pull-out storage drawer to make transporting equipment and technology easy. Five extra large 4" heavy duty casters on 24" diameter base keep unit stable and balanced. Additional options and accessories available (see page 34-35).

Features:

- Seamless Ergo work surface
- Cord Access Portal and A/C Adapter Bracket
- Pneumatic lift foot pedal height adjustment
- 5 extra large 4" heavy duty casters (2 locking)
- 4 different finishes available

Specs:

- Work surface: 25"W x 17½"D
- Work surface height: 30"–42"
- Caster diameter: 4"
- Weight capacity: 15 lbs.



Shown with optional concentric Utility Basket (Cat. No. 6402-BC) and Laptop/Tablet Mount (Cat. No. 6767-BK)

Cat. No.	Color
6430-CH	Cherry Oak
6430-MP	Hard Maple
6430-BB	Bamboo
6430-WW	White Wash

Features



Drawer

Multi-compartment drawer provides handy storage for work essentials.

Cat. No. 6900-DB (black); 6900-DG (gray)



A/C Adapter Bracket

Mounts under work surface to hold laptop power supply.

Cat. No. 6900-AB



*Seamless Work Surface
25"W x 17½"D*

Ergo Work Surface Colors



Hard Maple



Cherry Oak



Bamboo



White Wash



Work Surface:
25¹/₈"W x 17³/₈"D
Weight capacity:
15 lbs.

WALKARoo™ 6930


The sleek WALKARoo™ 6930 is unmatched in its sturdy construction and flexibility as a stand-alone workstation. Built with all the same design features and accessories as our exclusive LinkT™ mobile unit, but without the attached seat. 4 easy rolling and locking casters make movement and stopping a breeze; solid work surface and base are available in a variety of stylish finishes (see page 27). Cord Access Portal Standard.

Cat. No. _____
6930-00 _____

WALKARoo™ 6402

Basic yet functionally sound, our standard WALKARoo™ 6402 mobile unit is ideal for making rounds with tablets or small notebooks. Offers a non-tilting sturdy work surface and foot-activated pneumatic lift height adjustment. Five 3" casters (two locking and three non-locking) sit on the stable 24" diameter base to keep unit balanced and streamline movement. For additional accessories, see page 34–35.

Cat. No.	Color
6402-CH	Cherry Oak
6402-MP	Hard Maple



Work Surface Options



Cherry Oak



Hard Maple



Weight capacity:
12 lbs.

WALKARoo™ 6940 Laptop Cart


Designed to accommodate most any size laptop screen, the all-new WALKARoo™ 6940 Laptop Cart is ideal for facilities using notebook computers for their electronic record keeping and diagnostic testing. Features a seamless work surface with built-in handle and wide slot to hold laptop securely in place. The secure locking compartment and optional built-in battery pack ensure computers stay safe and running throughout even the busiest day. Slide-out keyboard tray for simple data input and numerous customization options add to its functional versatility. Ergonomic design makes clinical mobility effortless.

Features:

- Fits laptop up to 14"W
- Seamless work surface with built-in handle
- Locking laptop compartment
- Slide-out keyboard tray
- Hand trigger height adjustment
- 2 locking casters

Specs:

- Work surface: 22"W x 15½"D
- Work surface height: 30"-42"
- Caster diameter: 4"
- Weight capacity: 15 lbs.



Features hand-operated "Easy-Lift" cylinder and smooth gliding casters. Shown with optional battery pack (Cat. No. 7900-PS)

Cat. No.	Description
6940-WW	Laptop Cart

Features



Keyboard Platform

Slide-out keyboard tray holds standard keyboard & mouse.



Med XP-300 Column Mount

Securely hold the MED XP-300 along with its A/C adaptor and cord at the base (optional).

Cat. No. 7900-XP



Laptop is secured under work surface.

WALKARoo™ 6950 PC Cart

The ergonomic design of the all-new WALKARoo™ 6950 PC Cart makes diagnostic monitoring and other patient record-keeping simple and efficient. Sliding keyboard tray with mouse holder and sturdy monitor mount are standard. A secure, locking compartment under the seamless work surface keeps equipment or thin client safe. Additional options, such as a utility basket and equipment mounts, add to its use flexibility. The 6950 is all-in-one mobile versatility at its best.

Features:

- Seamless work surface with built-in handle
- Locking compartment under work surface
- Slide-out keyboard tray
- Hand trigger height adjustment
- 2 locking casters

Specs:

- Work surface: 22"W x 15½"D
- Work surface height: 30"–42"
- Caster diameter: 5"
- Weight capacity: 15 lbs.



4 large 5" casters (2 locking) are standard. Shown with optional Utility Basket (Cat. No. 6407-01)

Features



Monitor Arm Included

Tiltable monitor mount with VESA mounting configuration holds up to 19" monitor.



Thin client secured under work surface.



Optional Utility Basket

Convenient storage space for supplies and tech.

Cat. No. 6407-01

Cat. No.	Description
6950-WW	PC Cart with Monitor Arm

WALKARoo™ 7920

The new WALKARoo™ 7920 Slimline Cart keeps productivity rolling, even in smaller rooms or busy areas. With its cutting-edge design and streamlined features, this sleek unit offers a compact footprint with smooth gliding and turning that is ideal for getting into tight spaces to reach patients for assessments. Seamless work surface fits a keyboard and mouse, and secure underneath storage holds all your rounding essentials. Adjustable VESA-equipped monitor mount makes it easy to integrate with your EHR system. The 7920 is the ultimate space-saving yet benefit-packed cart. Glove box optional for added convenience.

Features:

- Seamless work surface with built-in handle
- Storage compartment under work surface
- Tilting monitor mount fits up to 19" monitors
- 2 locking casters

Specs:

- Work surface: 24"W x 15"D
- Work surface height: 40"
- Caster diameter: 3"
- Weight capacity: 12 lbs.



Back panel view.

4 3" casters (2 locking) are standard. Shown with optional glove box holder.

Cat. No.	Description
7290-00	Slimline Cart

Optional



Glove Box Holder

Holds 1 standard package of gloves 9"W x 5"D x 2.625"H.
Cat. No. 7900-00-57



WALKARoo™ 6408 Mobile PC Cart

The WALKARoo™ 6408 Mobile PC Cart holds notebook computers securely inside its large locking surface for added security. Full-size adjustable keyboard tray has pull-out mouse tray that can adapt for left- or right-handed use. Easily moves up or down with pneumatic lift and offers many convenient options to add to its functionality. Also available with a solid work surface to accommodate tablet use and provide more desk space.


Features:

- "Easy-Lift" cylinder
- Height adjust for standing or sitting
- Non-porous materials and clean lines address infection control
- Lockable work surface secures laptop
- Full size, adjustable keyboard tray
- Right or left-handed mouse pad extension
- Premium locking casters
- Contoured base; easy walk-behind design
- Power system available
- Large 23½" x 12½" work surface



Cat No. 6408-SCW

Cat. No.	Description
6409-SC	Light Cherry with solid work surface
6408-SCW	Light Cherry with 16¼" opening



Overall dimensions: 24½"D x 49¼"H x 28¾"W;
32¾"D with keyboard fully extended

Choose from solid work surface (to use with monitor mount) or with notebook computer opening



16¼" x 13⅞" opening (shown in Light Cherry)



Monitor Mount
Ideal for use with small form factor and thin client computers.
Cat. No. 6769-BK



DC Power System
Thermally controlled cooling reduces noise and power consumption. Efficient DC Power System eliminates energy loss due to DC to AC Conversions.
Cat. No. 6408-04



Side Basket
Convenient storage for essentials on the move.
Cat. No. 6408-03

Accessories & Components

Storage



Drawer

Multi-compartment drawer provides handy storage for work essentials.

Cat. No. 6900-DB (black); 6900-DG (gray)



Center Basket

Ideal for keeping materials off the work surface, yet within easy reach.

Cat. No. 6900-BB (black)



Side Basket

Fits on any side: left, right, front or back.

Cat. No. 6402-SB



Concentric Utility Basket

Easy access location keeps necessities out of your way.

Cat. No. 6402-BC

Diagnostic



Diagnostic Mount

24" Flex Arm bends and stays in desired position.

Cat. No. 6900-DM



Double Hook IV

C-clamp base fits surfaces up to 2" thick.

Cat. No. 6900-IV



Bar Code Scanner Holster

Side-mounted support bracket for Bar Code Scanner.

Cat. No. 6407-05



Mouse House

Stores mouse when not in use with adhesive backing to smooth, flat surface.

Cat. No. 6407-02 (black), 6407-G2 (gray-shown)

Monitor Integration



Tablet Mount for iPad
 Attach mount to work surface to hold iPad tablet. Mount has dial combination lock and access to electronic parts.
Cat. No. 6416-00



Adjustable Laptop & Tablet Stand
 Height-adjustable table mount holds almost any size laptop or tablet. Swivels and pivots for optimal viewing angle, and easily mounts through most work surfaces.
Cat. No. 6767-BK



Adjustable Monitor Mount
 Ideal for use with small form factor and thin client computers.
Cat. No. 6769-BK

Power System



Amstron Med XP-300
 Provides power to run the laptop and charge the internal battery simultaneously.
Cat. No. 7900-PS



Med XP-300 Column Mount
 Securely holds the Med XP-300 along with its A/C adaptor and cord at the base.
Cat. No. 7900-XP



DC Power System
 Thermally controlled cooling reduces noise and power consumption. Efficient DC Power System eliminates energy loss due to DC to AC Conversions.
Cat. No. 6408-04



Extension Cord
 Hospital grade Kurly extension cord stretches 6'-9" with 5-15 P plug and 5-15 R female end.
Cat. No. 6900-KK



Electrical Cable Reel
 Three plug power strip with retractable cord.
Cat. No. 6600-00-21

WALKARoo™ System Accessories

All of our WALKARoos are customizable and many of our accessories and modifications are unit specific. This is just a partial list of the opportunities to create a unit to best meet the needs of your facility.

Accessories	Part Number	LinkT™	WALKARoo™ 6430	WALKARoo™ 6930	WALKARoo™ 6402	WALKARoo™ 6940	WALKARoo™ 6950	WALKARoo™ 7920	WALKARoo™ 6408
Storage									
Drawer (black)	6900-DB	•	•		•				•
Drawer (gray)	6900-DG	•	•		•				•
Center Basket (black)	6900-BB	•	•	•	•	•	•	•	•
Side Basket	6402-SB		•		•				
Concentric Utility Basket	6402-BC		•		•				
Rear Mounted Utility Basket	6407-01					•			•
Utility Bin (black)	6900-UB	•	•	•	•	•	•	•	•
A/C Adaptor Bracket	6900-AB	•	•		•				
Diagnostic									
Flex Arm Double I.V. Hook	6900-IV	•	•	•	•	•	•	•	•
Flex Arm Diagnostic Mount	6900-DM	•	•	•	•	•	•	•	•
Bar Code Scanner Holster	6407-05	•	•	•	•	•	•	•	•
Mouse House (black)	6407-02	•	•	•	•	•	•	•	•
Monitor Integration									
Tablet Mount For iPad	6416-00	•	•	•	•	•	•	•	•
Adjustable Laptop & Tablet Stand	6767-BK	•	•	•	•	•	•	•	•
Adjustable Monitor Mount	6769-BK	•	•	•	•	•	•	•	•
Power System									
MEDXP-300 Power System	7900-PS	•	•	•		•	•	•	•
MEDXP Column Bracket	7900-XP	•		•		•	•	•	•
DC Power System	6408-04	•		•		•	•	•	•
Medical Grade Extension Cord	6900-KK	•	•	•	•	•	•	•	•
Electrical Cable Reel	6600-00-21	•	•	•	•	•	•	•	•
Notebook Cable Security Kit	6402-SC	•	•	•	•	•	•	•	•

We've Got You Covered!



To find your local rep, go to carstens.com and enter your zip code.

Experience the Carstens difference!

We have dedicated sales representatives assigned specifically to your geographic area to assist with all your needs. Whether you are a small residential facility or a large hospital system, we have solutions for implementation of electronic health records and workflow management equipment, as well as traditional paper charting systems. Our knowledgeable and experienced associates will help you each step of the way to achieve your goals.

We accept:



Visa



MasterCard



American Express



PHONE us toll free at:

1.800.782.1524

Our Customer Service Hours are from 7:30 a.m. to 5:00 p.m. Central Time.



FAX us on our

Customer Service Fax Line:
1.708.669.1559

Fax order form on page 43. Available 24 hours a day, 7 days a week.



MAIL your purchase order to:

Carstens, Inc.
7310 West Wilson Avenue
Chicago, Illinois 60706



ONLINE at www.carstens.com

or email us at carstens@carstens.com

See ordering policy details on page 38.

Ordering Policies

Ordering

Call us at 1.800.782.1524 between 7:30 a.m. and 5:00 p.m. Central Time and we'll be happy to process your request.

As your Carstens Customer Service Representative is taking your order, the information is entered into our computer for pricing and availability. All prices are subject to change without notice and terms are net thirty (30) days for approved accounts. All customer orders are subject to acceptance by Carstens. All written confirmation of telephone orders must be clearly marked as such as we hope to minimize duplicate orders. Many orders received via mail and fax omit catalog numbers, size or color. Your representative will call you for clarification, but this can delay your order ten (10) days or longer. When ordering by mail, please check that all information is complete.

Packing

Packing is domestic at Carstens' manufacturing facility in Chicago, Illinois, and the package shown is standard. There will be an additional charge for export or special packing where required. Carstens takes pride in the products it manufactures and packs those products accordingly. If you are not satisfied with the way your products are packed, please call us at 1.800.782.1524.

Shipping

All sales are F.O.B. factory, unless otherwise stated in writing by Carstens. At our option, we will prepay freight and charge Buyer for the cost thereof. Carstens will comply with Buyer's routing instructions if possible. However, method of delivery and routing shall be at Carstens discretion. Notwithstanding any agreement to pay freight, delivery of articles purchased hereunder to a common carrier or licensed trucker shall constitute delivery to Buyer and all risk of loss or damage in transit shall be borne by Buyer.

Claims

Loss or damage in transit is Buyer's Risk. This includes all shipments—regular and drop. Inspect all shipments for visible damage upon receipt of goods. Record all visible damage on delivery receipt. Report concealed damage (damage noticed once carton is opened) to delivering freight carrier within twenty-four (24) hours of receipt of shipment. Claims for shortages within cartons will not be considered unless Carstens is notified, in writing or by phone, within ten (10) days of receipt of shipment.

Returns

No goods may be returned without express prior permission. All return shipments must be prepaid and clearly marked with the return authorization number issued by Carstens. All authorized returns are subject to a 20% restocking charge or a \$10.00 minimum, whichever is higher. Return goods must be in unused, resalable condition, and may not be older than thirty (30) days. Freight collect returns will not be accepted. Damaged items will be billed at full repair cost if original cartons are not used for return or if goods have been improperly packed.

In addition, Carstens reserves the right to refuse such shipments. Return authorization becomes null and void after thirty (30) days from the date of issue. Goods will not be accepted after this period. Parts are not returnable for credit. Modified or custom-made goods are not returnable. All Carstens equipment is shipped assembled. Equipment returned to Carstens in knocked-down, disassembled or used condition cannot be credited under any circumstances.

Terms & Conditions for Product Evaluations

Carstens:

- Carstens will send an evaluation unit for a 30-day evaluation period.
- An invoice will be sent with the unit, marked "evaluation". This invoice serves two purposes:
 1. To track the evaluation period.
 2. To document the value of the product so if it were to be damaged in shipment an accurate claim can be presented to the freight carrier.
- At the end of the evaluation period, Carstens will pick up the product and upon its receipt (barring any damage) will issue a credit on the evaluation invoice. Carstens will cover the freight on the returned product as long as it is received by the end of the 30-day evaluation period.

Facility:

- The Facility must retain all boxes and packaging materials that arrived with the product. Please note how the product is packed with the original shipping materials.

- The Facility must not damage or abuse the product, returning it in new, sellable condition.
- Upon completion of the evaluation period (30 days) the product must be returned in its original shipping box with original packing materials. If the facility did not retain the original boxes and packaging materials, Carstens will ship additional boxes/materials, charging the Facility for the material and freight.
- The Facility should call your local Carstens Consultant or Carstens Customer Service Department (1.800.782.1524) for a Return Authorization Number (RA#) and call tag.
- The Facility should also call if they decide to purchase the unit. This will allow Carstens Accounting Department to make any necessary changes to the Facility Purchase Order, Carstens invoice, etc.
- If the Facility would like to keep the evaluation unit and purchase additional units/products, a purchase order should be created and sent to Carstens detailing all units required. The Facility will keep the evaluation unit and Carstens will credit the evaluation invoice. The additional units will be shipped and invoiced on the newly created purchase order.

Warranties

Warranty

Seller warrants the articles sold will conform with all pertinent specifications, including performance specifications, drawings, and approved sample, if furnished. Seller also warrants said articles to be free of defective material and workmanship.

This warranty is in lieu of all other warranties, expressed or implied. Seller makes no warranty that said articles are fit for any particular purpose, nor any warranty as to the merchantability or quality of articles sold except as herein stated. All claims for alleged defects in articles under this warranty shall be deemed waived unless made in writing and delivered to Seller within ninety (90) days after receipt of goods to Buyer.

This warranty shall not apply where goods have been subject to misuse, neglect, accident, improper installation or application, or have been repaired or substantially altered by others. No returns will be accepted unless authorized by Carstens. Seller's liability shall, in no event, include Buyer's manufacturing costs, lost profits or goodwill, or any other special or consequential damages.

Limited Warranty

Carstens, Incorporated warrants that the products listed below will remain free of defects in workmanship and in factory installed material, and will remain fit for the ordinary purposes for which intended, during the time periods and subject to the conditions stated below. This limited warranty applies to the following products:

- Reach 360™—five (5) years
- Med Box—three (3) years
- WallaDesk™—two (2) years
- MediRoo™—three (3) years
- Half-a-Roo™ Workstations—three (3) years
- WALLAroo® Workstations—three (3) years
- Notebook WALLAroo™—three (3) years
- WALLAroo Jr.™ and Econoroo®—two (2) years
- WALLAroo® Family Gas Cylinders—one (1) year
- WALLAroo® Electronic Locks—one (1) year
- PrivacyLine™ Caddys—three (3) years
- WALKAroo LinkT™—two (2) years
- WALKAroo™ 6430—two (2) years
- WALKAroo™ 6930—two (2) years
- WALKAroo™ 6402—two (2) years
- WALKAroo™ 6940 Laptop Cart—two (2) years
- WALKAroo™ 6950 PC Cart—two (2) years
- WALKAroo™ 7920 Slimline Cart—two (2) years
- WALKAroo™ 6408 PC Cart—two (2) years
- Products other than those specifically set forth above—fifty (50) days

Should the Buyer of any of the foregoing products find otherwise, Carstens will, at its exclusive option, repair or replace the defective products at no charge to the Buyer for parts and service. If Carstens is unable to repair or replace the products, it will credit the Buyer's account for:

- All of the purchase price when the warranty runs for a period of less than three (3) years and the warranty claim is made prior to the end of the warranty term.
- When the product warranty runs for three (3) years or more, a purchaser's credit of two-thirds of the purchase price will be given if the claim is made within one (1) year of purchase, or one-half of the purchase price if the claim is made after one (1) year of purchase but prior to the end of the warranty term.
- The following are percentages of the purchase price when the warranty runs for five (5) years or more: (i) 100% of the purchase price if the warranty claim is made in the first year after purchase; (ii) 80% if made in the second year after purchase; (iii) 50% if made in the third year after purchase; (iv) 30% if made in the fourth year after purchase; and (v) 20% if made in the fifth year or later after purchase but prior to the end of the warranty term.

This limited warranty covers only such defects that are incurred under usual and customary use in medical facilities, and does not cover such defects in products that result from abuse, misuse or negligent care of the product. THE PROVISIONS OF THIS LIMITED WARRANTY ARE EXPRESSED IN LIEU OF ANY OTHER WARRANTIES, EXPRESSED OR IMPLIED. Further, this limited warranty is applicable only to the purchaser of merchandise from Carstens regardless of whether or not purchaser is the end user of subject equipment. THE REMEDIES PROVIDED FOR IN THIS LIMITED WARRANTY ARE EXPRESSLY IN LIEU OF ANY LIABILITY THAT CARSTENS MAY HAVE, INCLUDING, WITHOUT LIMITATION, INCIDENTAL, CONSEQUENTIAL, EXEMPLARY, OR PUNITIVE DAMAGES. Some states do not allow the exclusion or limitation of incidental or consequential damages; the above limitation or exclusion may not apply to you. This limited warranty gives you specific legal rights and you have other rights that vary from state to state.

Terms & Conditions of Sale

1. Prices for the all products sold (the "Goods") shall be Carstens' (the "Seller") prices in effect on the date the Goods are shipped, whether or not the buyer of the Goods (the "Buyer") has received any prior notice of changes in price. Wherever practicable, the Seller will provide the Buyer with prior written notice of price changes. The Seller may increase or decrease its prices for the Goods if the Buyer changes the quantity of Goods purchased or shipped hereunder.

2. All prices and shipments are F.O.B. Seller's plant. The Seller will prepay freight and charge the Buyer for the cost thereof, and will comply with the Buyer's routing instructions, if possible. However, this is provided that the method of delivery and routing shall be at the Seller's discretion.

3. Unless otherwise stated, the Seller's price for the Goods does not include the amount of any present or future taxes, tariffs or duties, export charges, license fees, royalties or any other fees or charges imposed by any state or local authority, the United States, any foreign government, or any other person or entity on the production, sale, or use of the Goods—all of which shall be paid by the Buyer, and any amounts paid by the Seller shall be for the account of the Buyer.

4. The terms for payment for the Goods are net thirty (30) days. No discount will be allowed for any fixtures, gauges, designs, sketches, drawings, blueprints, patterns, dies, molds, software, models, equipment, or other special appliances, or for any shipping or freight charges. The Buyer agrees to remit payment to the Seller at the location shown on the Seller's invoice. The Seller reserves the right at any time to suspend or revoke any credit extended to the Buyer if the Buyer fails to pay any invoice at maturity or for any other reason deemed good and sufficient in the Seller's sole discretion. In such case, in addition to any other remedies contained herein or provided by law, the Seller has the right to demand cash payment or satisfactory security from the Buyer prior to shipment. The Buyer's failure to pay any invoice at maturity makes all subsequent invoices immediately due and payable irrespective of any terms contained herein or therein, and the Seller may withhold all subsequent shipments until the Buyer's account is settled in full. The Buyer agrees that the Seller may, at its option, charge interest on delinquent accounts at the lesser of 1-1/2% per month or the highest rate allowed by applicable law. The Buyer hereby grants the Seller a lien or security interest in all Goods to secure all amounts owing to the Seller by the Buyer hereunder.

5. Notwithstanding any law to the contrary or the Seller's agreement to prepay freight charges, the Buyer assumes all risks of and responsibility for loss or damage to, or delay in delivery of, the Goods after their tender by the Seller to a common carrier or other shipper. Notwithstanding Section 2-510(1) of the Uniform Commercial Code, after tender of the Goods to the Buyer, all risk of loss shall remain with Buyer regardless of any breach of warranty or nonconformities in the Goods.

6. The Seller reserves the right to ship usable portions of this order in installments. All such installments shall be separately invoiced and shall be paid for in accordance with the terms contained herein. Delay in the shipment of any installment shall not relieve the Buyer of its obligation to accept subsequent shipments. The Seller shall not be responsible for any delay or failure with respect to any shipment of the Goods if due to or arising from any shortage of raw materials, fire, labor trouble of any kind, accident, breakdown of machinery, government act of any kind, failure of any manufacturer, subcontractor or supplier to deliver materials or supplies or to provide services as agreed or contemplated by past dealings, transportation difficulties of any kind, act of God, act of the Buyer, or any other contingency reasonably beyond the Seller's control, whether or not presently occurring or contemplated by either party. In the event of any such delay, the date of delivery shall be extended for a period equal to the time lost by reason of the delay.

7. The Buyer agrees to inspect the Goods immediately upon its receipt thereof, and shall give written notice to the Seller of any claim that the Goods do not conform with the terms hereof within fifteen (15) days after delivery of the Goods to the Buyer or the destination designated by the Buyer. If the Buyer shall fail to give such notice, the Goods shall be deemed to conform with the terms hereof, and Buyer shall be bound to accept and to pay for the Goods, and shall have no remedy against the Seller, nor any right to revoke such acceptance, for any reason. In the event of a timely claim against the Seller, the parties shall promptly arrange to jointly inspect the Goods, and, where appropriate, to have representatives of the carrier present at such inspection. Any damage, loss or shortage occurring in transit shall be settled with the carrier by the Buyer, without any offset of the purchase price of the Goods. Buyer shall set aside, protect and hold those Goods which are the subject of its claim, without further processing, until Seller has an opportunity to inspect them and advise Buyer of the disposition, if any, to be made of them. In no case shall any Goods be returned without the prior written consent of the Seller.

8. The Buyer agrees to approve or reject any designs, specifications, part prints, and/or samples of the Goods (collectively, the "Seller's Specifications") within seven (7) days after Seller's delivery of the Seller's Specifications to the Buyer. If the Buyer rejects the Seller's Specifications, then the Buyer shall give written notice to the Seller explicitly setting forth the reasons for such rejection. In such event, the Seller, at its sole option, may either modify the Seller's Specifications pursuant to the Buyer's written notice or terminate this order and charge the Buyer for the cost of any labor and materials paid or incurred by the Seller in connection with such Seller's Specifications. If the Buyer fails to approve or reject the Seller's Specifications within seven (7) days after delivery thereof to the Buyer, then the Seller's Specifications shall be deemed approved by the Buyer. The Buyer acknowledges and agrees that the Seller's Specifications constitute confidential and proprietary information of the Seller, and the Buyer shall not, directly or indirectly, (a) disclose the Seller's Specifications to any person or entity other than employees of the Buyer who have a need to know; (b) use the Seller's Specifications in any manner whatsoever, whether for commercial or non-commercial purposes, other than for the purpose of evaluating whether to purchase the Goods; or (c) fail to maintain the Seller's Specifications in confidence or take suitable precautions to ensure that the Seller's Specifications are not disclosed except as otherwise authorized hereunder.

9. The Buyer shall approve or reject any part prints and/or samples produced by the Seller pursuant to any designs, specifications or other written or oral instructions provided by the Buyer for the purpose of directing the manner in which Seller produces the Goods (collectively, the "Buyer's Specifications") within seven (7) days after the Seller's delivery thereof to the Buyer. Shipment of any Goods produced by the Seller pursuant to any Buyer's Specifications constitutes approval and acceptance by the Buyer of any part print and/or samples with respect

to such Goods, and acknowledgement by the Buyer that the Seller is not the designer of such Goods. The Buyer agrees to indemnify and defend the Seller against any loss, cost, liability or expense resulting from any infringement or claimed infringement of any patent, trademark, or other intellectual property right arising from or relating to the Seller's compliance with any of the Buyer's Specifications.

10. For all Goods produced pursuant to the Buyer's Specifications, the Seller reserves the right to fabricate the entire quantity of such Goods ordered by the Buyer in one production run, even though the Buyer has requested that shipments be made over time. In the event of the cancellation or termination hereof, the Buyer shall reimburse the Seller for the cost of all raw materials, components, sub-assemblies or finished assemblies for the entire quantity of such Goods ordered plus normal overruns which are in the Seller's inventory on the date of cancellation or termination.

11. The seller assumes no responsibility for any damage, liability or loss, whether to persons or property, which arises from or relates to, directly or indirectly, the buyer's specifications for the design of the goods or the buyer's recommendations for the use of certain raw materials for their production. The buyer agrees that the goods shall be deemed produced, pursuant to the buyer's specifications, if the buyer adopts any of the seller's recommendations with respect to the goods.

12. The Seller warrants the Goods to be free from defects in material and workmanship under normal use and service in accordance with the Seller's published warranty as in effect on the date the Goods are shipped. With respect to goods produced pursuant to the buyer's specifications, the seller warrants only that the goods have been produced in accordance with such specifications. These warranties are expressly in lieu of all other warranties expressed or implied, including, but not limited to, the warranty of merchantability and fitness for a particular purpose, and of any other obligations or liabilities on the part of the seller, and the seller neither assumes nor authorizes any other person to assume for it any other obligation or liability in connection with the goods.

13. The Buyer's sole and exclusive remedy for breach of the Seller's warranty provided in Section 12 above shall be the repair or replacement of the defective Goods at the Seller's expense, upon return of the Goods, transportation pre-paid, to the Seller at: 7310 West Wilson Avenue, Chicago, Illinois 60706, within the applicable warranty period. No return of Goods will be accepted without the prior written authorization of the Seller. All return shipments must be pre-paid and clearly marked with the return authorization number. The Buyer shall be responsible for all costs of removal and reinstallation of the Goods so returned. In the event that the seller's published warranty or any other obligation of the seller applicable to the goods fails of its essential purpose, the buyer's sole and exclusive remedy for any claim, whether for breach of contract or warranty, or negligence or other tort, or otherwise, shall be return of or credit for so much of the purchase price as is applicable to the goods which are nonconforming or defective. The seller shall have no liability whatsoever, whether in contract, in tort, under any warranty, in negligence, or otherwise for incidental, consequential or special damages.

14. Goods may be returned only with the Seller's prior authorization. The Buyer will be issued a full credit toward future purchases on all authorized returns, less a restocking charge of: the greater of 20% of the price of the Goods returned or \$10.00. Returned Goods must be in unused and saleable condition. No return authorization will be issued more than thirty (30) days after delivery of the Goods to the Buyer. Returned Goods sent freight collect will not be accepted. Returned Goods which arrive damaged will be billed at full repair cost if not returned in original cartons or if improperly repacked. In addition, the Seller reserves the right to refuse such return shipments. Any return authorization issued by the Seller becomes null and void if the Seller does not receive the Goods within thirty (30) days from date of authorization. Goods made to the Buyer's Specifications are not returnable. All Goods are shipped assembled, and any Goods returned in knocked-down, disassembled or used condition will not be accepted for return.

15. Any special tools, fixtures, gauges, designs, sketches, drawings, blueprints, patterns, dies, molds, masks, software, models, equipment, or other special appliances used by the Seller in connection with the Goods (collectively, the "Tooling") shall be furnished by the Buyer or paid for by the Buyer if furnished by the Seller, and shall be the property of the Buyer upon the Buyer's payment therefore. All Tooling shall be retained by the Seller to produce Goods for the Buyer until two (2) years after all such Tooling is last used in production, at which time the Buyer agrees that such Tooling may be disposed of by the Seller for the account of the Buyer. The Buyer hereby grants the Seller a lien or security interest in all Tooling to secure all amounts owing to the Seller by the Buyer.

16. Except as set forth in section 7 above, no claim or action of any nature whatsoever arising out of or relating to any goods may be brought by the buyer more than twelve (12) months after the date of shipment of such goods.

17. The buyer agrees that if any of the terms and conditions of its purchase order are inconsistent with the terms and conditions stated herein, then the terms and conditions stated herein shall be binding.

18. All of the remedies of the Seller herein shall be cumulative and in addition to any remedies provided by law.

19. The terms and conditions hereof may not be altered, amended or waived except in a written document signed by the Buyer and the Seller. No failure by the Seller to exercise, and no delay in exercising, any right hereunder shall operate as a waiver thereof, nor shall any single or partial exercise of any right hereunder by the Seller preclude any other or future exercise of that right or any other right hereunder by the Seller.

20. The laws of the State of Illinois shall govern the validity, interpretation and enforcement hereof.



NEW ACCOUNT APPLICATION

Corporate Name: _____

D / B / A : _____

Federal ID # : _____ DUNS #: _____

Billing Address: _____

Shipping Address: _____

Website URL: _____

A/P Contact Name:	Email:
A/P Contact Phone: ()	Fax: ()

Is your facility a member of a BUYING GROUP? Yes No If yes, which group? _____

Are Purchase Orders Required? Yes No Are Purchase Order Numbers Used? Yes No

Tax Status: Taxable: *Tax Exempt Number of Years In Business: _____

***IF TAX EXEMPT, A CORRECT TAX EXEMPTION CERTIFICATE OR RESALE CERTIFICATE MUST BE SENT WITH THIS CREDIT APPLICATION.**

Please list all individuals authorized to place orders with Carstens, Inc.:

Name: _____ Title: _____ Dept: _____

Phone: _____ Fax: _____ Email: _____

Name: _____ Title: _____ Dept: _____

Phone: _____ Fax: _____ Email: _____

Name: _____ Title: _____ Dept: _____

Phone: _____ Fax: _____ Email: _____

Name: _____ Title: _____ Dept: _____

Phone: _____ Fax: _____ Email: _____

ORDERING/POLICIES

Please complete and **SIGN** the Reference Authorization Form below.

FINANCIAL:

Bank: _____ Account # _____
Address: _____
Banking Contact Name & Phone: _____

TRADE REFERENCES:

(1) Name: _____ Phone: _____
Address: _____
(2) Name: _____ Phone: _____
Address: _____
(3) Name: _____ Phone: _____
Address: _____

Credit application must be signed by the Customer acknowledging the following statement:

I/we certify the foregoing information to be true and correct. I/we have been advised that the terms of sale are Net 30 Days unless otherwise noted in writing. A service charge of 1.5% per month (18% annual) will be made on any invoices over 30 days past due. I/we further agree to pay any reasonable attorney's fees and costs in the event of a suit to effect collection of monies due.

_____	_____		
Officer / Other Authorized Signature	Please Print Name		
_____	<table border="1"><tr><td>_____</td></tr><tr><td>Amount of Credit Requested</td></tr></table>	_____	Amount of Credit Requested

Amount of Credit Requested			
Title			

PLEASE PRINT BOTH PAGES & FAX OR EMAIL YOUR COMPLETED APPLICATION WITH A W-9 AND YOUR TAX EXEMPTION CERTIFICATE OR RESALE CERTIFICATE (IF APPLICABLE)

Fax to 1.708.669.1496 ATTN: Credit Manager

Email to credit@carstens.com

If you have questions regarding this form, please do not hesitate to contact Carstens Accounting Department at 1.800.325.6222

For Interoffice Use Only	
_____	_____
Credit Approved By	Date Processed

REP ID#

REGION

Order Form

FAX ORDER FORM TO 708.669.1559

BEFORE YOU BEGIN: Photocopy blank forms for future use. PLEASE PRINT. Forms also available online at www.carstens.com.

Billing Information:		Today's Date _____
Your Name _____	Title _____	
Facility _____	Customer # (if known) _____	Purchase Order No. _____
Address _____		
City _____	State _____	Zip _____
Phone () _____	Fax () _____	
Email _____		

Ship To: (if different than billing address above)		Facility Name _____
Attn: _____		
Address _____		
City _____	State _____	Zip _____
Phone () _____	Fax () _____	

Shipping Instructions: (Indicate special instructions here)

Payment Information: (Check and complete number 1 or 2)		
1. <input type="checkbox"/> Bill Account	2. <input type="checkbox"/> Credit Card	<input type="checkbox"/> Visa <input type="checkbox"/> MasterCard <input type="checkbox"/> American Express
Purchase Order No. _____	Card No. _____	Exp. Date _____
Signature _____	Print Name of Cardholder _____	
Position _____	Signature of Cardholder _____	
	Position _____	

Catalog No.	Quantity	Description	Unit Price	Total Price
Product Total				
Sales Tax				
Total (shipping not included)				

ORDERING/POLICIES

1652-03	Exam Room Flags	21	6620-00-17	WALLAroo XT Slam Lock for Upper Compartment	16
1652-04	Exam Room Flags	21	6621-00	WALLAroo XT Auto Door Gray	16
1652-06	Exam Room Flags	21	6622-00	WALLAroo XT Auto Door Almond & ESL	16
1658-01	100 Med Tray I.D. Cards (white)	8	6623-00	WALLAroo XT Auto Door Gray & ESL	16
1658-03	100 Med Tray I.D. Cards (yellow)	8	6625-00	WALLAroo XT Semi Auto Door Almond	16
1658-05	100 Med Tray I.D. Cards (red)	8	6626-00	WALLAroo XT Semi Auto Door Gray	16
1940-00	Med Tray Adhesive Pocket	8	6627-00	WALLAroo XT Semi Auto Door Almond & ESL	16
4630-00	WALLAroo Extruded Handle Semi Auto Door Almond	20	6628-00	WALLAroo XT Semi Auto Door Gray & ESL	16
4630-00-57	WALLAroo Binder & Forms Insert Almond	20	6630-00	WALLAroo Semi Auto Door Almond	13
4631-00	WALLAroo Extruded Handle Semi Auto Door Gray	20	6630-00-64	WALLAroo Retainer Bar Almond	13, 16, 17
4632-00	WALLAroo Jr. Almond	20	6630-WB	WALLAroo Magnetic White Board	13, 14, 15
4632-00-10	WALLAroo Chrome Trim Strip	20	6631-00	WALLAroo Semi Auto Door Gray	13
4633-00	WALLAroo Jr. Gray	20	6632-00	WALLAroo Semi Auto Door Almond & ESL	13
4635-00	WALLAroo Extruded Handle Auto Door Almond	20	6633-00	WALLAroo Semi Auto Door Gray & ESL	13
4636-00	WALLAroo Extruded Handle Auto Door Gray	20	6635-00	WALLAroo Auto Door Almond	13
4638-00	WALLAroo Recessed Handle Auto Door Almond	20	6636-00	WALLAroo Auto Door Gray	13
4639-00	WALLAroo Recessed Handle Auto Door Gray	20	6637-00	WALLAroo Auto Door Almond & ESL	13
4641-00	WALLAroo Recessed Handle Semi Auto Door Almond	20	6638-00	WALLAroo Auto Door Gray & ESL	13
4642-00	WALLAroo Recessed Handle Semi Auto Door Gray	20	6642-00	Econoro Auto Door Almond	20
4650-00	Half-a-Roo Semi Auto Door Almond	20	6643-00	Econoro Auto Door Gray	20
4650-00-57	Half-a-Roo Binder & Forms Insert Almond	20	6650-00	Half-a-Roo Semi Auto Door Almond	12
4651-00	Half-a-Roo Semi Auto Door Gray	20	6650-00-64	Half-a-Roo Retainer Bar Almond	8, 12
4652-00	Half-a-Roo Auto Door Almond	20	6651-00	Half-a-Roo Semi Auto Door Gray	12
4653-00	Half-a-Roo Auto Door Gray	20	6652-00	Half-a-Roo Auto Door Almond	2, 12
4684-00	Single WALLAroo Shelf 10" White	20	6653-00	Half-a-Roo Auto Door Gray	12
4685-00	Single WALLAroo Shelf 22 1/2" White	20	6654-00	Half-a-Roo Semi Auto Door Almond & ESL	12
4686-00	Double WALLAroo Shelf 10 White	20	6655-00	Half-a-Roo Semi Auto Door Gray & ESL	12
4691-00	WALLAroo Utility Shelf Kit	20	6656-00	Half-a-Roo Auto Door Almond & ESL	12
4691-00-03	WALLAroo Utility Shelf	20	6657-00	Half-a-Roo Auto Door Gray & ESL	12
4692-00	Half-a-Roo Utility Shelf Kit	20	6670-00	WALLAroo XXT Auto Door Almond	17
4692-00-03	Half-a-Roo Utility Shelf	20	6671-00	WALLAroo XXT Auto Door Gray	17
4722-xx	PrivacyLine 34" Wide Unit	23	6672-00	WALLAroo XXT Auto Door Almond & ESL	17
4732-xx	PrivacyLine 34" Wide Unit	23	6673-00	WALLAroo XXT Auto Door Gray & ESL	17
4724-xx	PrivacyLine 48 1/2" Wide Unit	23	6675-00	WALLAroo XXT Semi Auto Almond	17
4734-xx	PrivacyLine 48 1/2" Wide Unit	23	6676-00	WALLAroo XXT Semi Auto Gray	17
4822-xx	PrivacyLine 34" Wide Unit	23	6677-00	WALLAroo XXT Semi Auto Almond & ESL	2, 17
4824-xx	PrivacyLine 48 1/2" Wide Unit	23	6678-00	WALLAroo XXT Semi Auto Gray & ESL	17
4832-xx	PrivacyLine 34" Wide Unit	23	6680-EL	WALLAroo XD Auto Door Almond & ESL	15
4834-xx	PrivacyLine 48 1/2" Wide Unit	23	6680-00	WALLAroo XD Auto Door Almond	15
6402-BC	Concentric Utility Basket Black	34, 36	6681-EL	WALLAroo XD Auto Door Almond & ESL	15
6402-CH	WALKAroo 6402 Cherry Oak	29	6681-00	WALLAroo XD Auto Door Gray	15
6402-MP	WALKAroo 6402 Hard Maple	29	6682-EL	WALLAroo XD Semi Auto Door Almond & ESL	2, 15
6402-SB	MCU Side Basket Black	34, 36	6682-00	WALLAroo XD Semi Auto Almond	15
6402-SC	Notebook Cable Security Kit	36	6683-EL	WALLAroo XD Semi Auto Door Gray & ESL	15
6407-01	Rear Mounted Utility Basket	31, 36	6683-00	WALLAroo XD Semi Auto Gray	15
6407-02	Mouse House Black	34, 36	6686-00	Med Box for WALLAroo Almond	8
6407-05	Bar Code Scanner Holster	34, 36	6687-00	Med Box for WALLAroo Gray	8
6408-SCW	WALKAroo 6408 16 1/4" Opening Cherry	33	6688-00	Med Box for Half-a-Roo Almond	8
6408-00-25	Monitor Mount for WALKAroo 6408	35	6689-00	Med Box for Half-a-Roo Gray	8
6408-03	Wire Side Basket for WALKAroo 6408	33	6690-00	Med Trays	8
6408-04	DC Power System	33, 35, 36	6691-00	Half-a-Roo Adjustable Shelving Kit	8, 12
6409-SC	WALKAroo 6408 Solid Work Surface Cherry	33	6692-00	Medication Distribution System Med Tray Carrier	8
6412-11	Wall Protector White Board	10	6694-00	WALLAroo Adjustable Shelving Kit	8, 13
6412-xx	Walladesk Deluxe	10	6698-00	WALLAroo XW Adjustable Shelving Kit	8, 14
6416-00	Tablet Mount For iPad	12, 35, 36	6699-AL	WALLAroo XD Shelving Kit Almond	8, 15
6422-01	Dry Erase Markers	21	6700-00	Articulating Arm with Keyboard Tray for WALLAroo XXTD	18
6422-02	White Board Dry Eraser	21	6701-00	Articulating Arm with Keyboard Tray for WALLAroo XD	15
6422-03	White Board Cleaner	21	6750-BK	Reach 360° Articulating Arm Black	5
6424-xx	White Boards - Magnetic	21	6755-00	Reach 360° Articulating Arm	5
6425-xx	White Boards - Non-Magnetic	21	6765-BK	Reach 360° Articulating Arm Black	5
6430-BB	WALKAroo 6430 Bamboo	28	6767-BK	Reach 360° Adjustable Laptop & Table Stand	5, 35, 36
6430-CH	WALKAroo 6430 Cherry Oak	2, 24, 28	6769-BK	Reach 360° Adjustable Monitor Mount	5, 33, 36
6430-MP	WALKAroo 6430 Maple	28	6800-NB	Notebook WALLAroo Auto Door Almond & ESL	19
6430-WW	Mobile Care Unit White Wash	28	6801-NB	Notebook WALLAroo Auto Door Gray & ESL	19
6600-00	WALLAroo XXTD Auto Door Almond	18	6800-SA	MediRoo Adjustable Shelf Almond	8
6600-00-21	Electrical Cable Reel	35, 36	6800-GY	MediRoo Adjustable Shelf Gray	8
6601-00	WALLAroo XXTD Auto Door Gray	18	6800-00	6" Deep MediRoo Almond	2, 11
6602-E1	WALLAroo XXTD Auto Door Almond & Keyed Upper/ESL Lower	18	6801-00	6" Deep MediRoo Gray	11
6602-00	WALLAroo XXTD Auto Door Almond & ESL	18	6800-WM	6" Deep MediRoo Almond/Maple	11
6603-E1	WALLAroo XXTD Auto Door Gray & Keyed Upper/ESL Lower	18	6801-WC	6" Deep MediRoo Gray/Cherry	11
6603-00	WALLAroo XXTD Auto Door Gray & ESL	18	6840-00	4" Deep MediRoo Almond	11
6605-00	WALLAroo XXTD Semi Auto Door Almond	2, 18	6841-00	4" Deep MediRoo Gray	11
6606-00	WALLAroo XXTD Semi Auto Door Gray	18	6840-WM	4" Deep MediRoo Almond/Maple	11
6607-E1	WALLAroo XXTD Semi Auto Door Almond & Keyed Upper/ESL Lower	18	6840-WC	4" Deep MediRoo Gray/Cherry	11
6607-00	WALLAroo XXTD Semi Auto Door Almond & ESL	18	6840-xx	MediRoo Adjustable and Tilttable Shelves	11
6608-E1	WALLAroo XXTD Semi Auto Door Gray & Keyed Upper/ESL Lower	18	6900-xx	LinkT & 6930 Supply Drawer	28, 34, 36
6608-00	WALLAroo XXTD Semi Auto Door Gray & ESL	18	6900-AB	LinkT & 6930 A/C Adapter Bracket	28, 36
6610-00	WALLAroo XW Auto Door Almond	14	6900-BB	LinkT & 6930 Center Basket Black	34, 36
6610-00-64	WALLAroo XW Retainer Bar Almond	14, 15	6900-DM	LinkT & 6930 Flex Arm Diagnostic Mount	34, 36
6611-00	WALLAroo XW Auto Door Gray	14	6900-IV	LinkT & 6930 Flex Arm Double I.V. Hook	34, 36
6612-00	WALLAroo XW Auto Door Almond & ESL	14	6900-KK	LinkT & 6930 Extension Cord	35, 36
6613-00	WALLAroo XW Auto Door Gray & ESL	14	6900-UB	LinkT & 6930 Utility Basket Black	36
6615-00	WALLAroo XW Semi Auto Door Almond	14	6920-00	LinkT	27
6616-00	WALLAroo XW Semi Auto Door Gray	14	6930-00	WALKAroo 6930	29
6617-00	WALLAroo XW Semi Auto Door Almond & ESL	14	6940-WW	Point-of-Care Laptop Cart	2, 30
6618-00	WALLAroo XW Semi Auto Door Gray & ESL	14	6950-WW	PC Cart with Monitor Arm	24, 31
6620-00	WALLAroo XT Auto Door Almond	16	7900-PS	MEDXP-300 Power System	35, 36
6620-00-15	WALLAroo XT Door Stay for Upper Compartment	16	7900-XP	MEDXP Column Bracket	30, 35, 36
			7900-00-57	Glove Box Holder	32
			7920-00	WALKAroo Slimline Cart	32

A Roo™ FOR YOU

At Carstens, we make secure medication distribution that fits *your* requirements.


Our customized WALLaroo® and MEDlroo™ workstations offer safe, reliable and convenient access to medications at the point of care—ensuring accuracy, saving time and energy, and enhancing efficiencies in every room.



WALLaroo™



MEDIroo™



DISCOVER OUR REVOLUTIONARY PRODUCTS
CALL TODAY 800.782.1524 OR VISIT Carstens.com/RooForYou
TRADITIONAL CHARTING PRODUCTS ALSO AVAILABLE

carstens®

Connecting with the human side of healthcare™

7310 West Wilson Avenue
Chicago, IL 60706

New Ways To Support You, **YOUR WAY**

At Carstens, superior customer service and ultimate satisfaction have always been a top priority. This year, to make working with us even easier, we've introduced exciting changes—including adding specialized sales representatives around the country.



ON THE PHONE, ONLINE OR IN PERSON...

We make it easy to get the expert guidance you need:

- Call a knowledgeable customer service associate at 800.782.1524
- Browse product categories, download catalogs and place orders at the NEW www.carstens.com
- Work with a sales rep in your area—find yours with the convenient search tool at Carstens.com/RepFinder